



## Wuxi NSB Transmission Technology Co.,...



65 mm x 90 mm x 13 mm NACHI 6913 deep groove ball bearings

Bearing No. 6913

6913 Bearing 2D drawings and 3D CAD models

Size	65x90x13 mm
Bore Diameter	65 mm
Outer Diameter	90 mm
Width	13 mm
d	65 mm
D	90 mm
B	13 mm
C	13 mm
r min.	1 mm
da min.	70 mm
Da max.	85 mm
ra max.	1.0 mm
Weight	0.200 Kg
Basic dynamic load rating (C)	17,4 kN
Basic static load rating (C0)	16 kN
(Grease) Lubrication Speed	7000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight / Kilogram	0.2
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling	No



## Wuxi NSB Transmission Technology Co.,...

Slot	
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	65MM Bore; 90MM Outside Diameter; 13MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.nachi.com">http://www.nachi.com</a>
Weight / LBS	0.44
Outer Race Width	0.512 Inch   13 Millimeter
Bore	2.559 Inch   65 Millimeter
Outside Diameter	3.543 Inch   90 Millimeter
Bore Type	Cylindrical Bore
Configuration	Single Row
Bore Size	65 mm
Width	13 mm
Fillet Radius/Chamfer	1 mm
Dynamic Load Rating	17,400 N
Static Load Rating	16,000 N
Limiting Speed - Grease	7,100 rpm
Limiting Speed - Oil	8,500 rpm
Factor fo	16.5
Radial Clearance	0.008 to 0.028 mm



## Wuxi NSB Transmission Technology Co.,...

da (min)	70 mm
Da (max)	85 mm
ra (max)	1 mm