




# Wuxi NSB Transmission Technology Co.,...



## 25 mm x 47 mm x 7 mm NSK 54205 thrust ball bearings

Bearing No. 54205

54205 Bearing 2D drawings and 3D CAD models

Size	25x47x31.4 mm
Bore Diameter	25 mm
Outer Diameter	47 mm
Width	31,4 mm
d	25 mm
d2	20 mm
D	47 mm
T	31,4 mm
T2	19,2 mm
d3	47 mm
r min.	0,6 mm
r1 min.	0,3 mm
A1	16,5 mm
B	7 mm
D1	27 mm
R	40 mm
Da max.	36 mm
ra max.	0,6 mm
rb max.	0,3 mm
Weight	0,236 Kg
Basic dynamic load rating (C)	28 kN
Basic static load rating (C0)	50,5 kN
(Grease) Lubrication Speed	3400 r/min
Category	Thrust Ball Bearing
Inventory	0.0



## Wuxi NSB Transmission Technology Co.,...

Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.316
Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Double Direction
Banded	No
Cage Material	Steel
Precision Class	Non-Precision
Component Description	Roller Assembly Plus Raceways
Other Features	Double Row   With Aligning Seat
Long Description	20MM Bore 1; 27MM Bore 2; 47MM Outside Diameter; 31.4MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Inch - Metric	Metric
Category	Thrust Ball Bearings
UNSPSC	31171552
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	<a href="http://www.nskamericas.com">http://www.nskamericas.com</a>
Weight / LBS	0.46958
Overall Height with Aligning Washer	0 Inch   0 Millimeter
Bore 2	1.063 Inch   27 Millimeter
Outside Diameter	1.85 Inch   47 Millimeter
Bore 1	0.787 Inch   20 Millimeter
Height	1.236 Inch   31.4 Millimeter



# Wuxi NSB Transmission Technology Co.,...