



Wuxi NSB Transmission Technology Co.,...



32 mm x 65 mm x 17 mm NSK 62/32 deep groove ball bearings

Bearing No. 62/32

62/32 Bearing 2D drawings and 3D CAD models

Size	32x65x17 mm
Bore Diameter	32 mm
Outer Diameter	65 mm
Width	17 mm
d	32 mm
D	65 mm
B	17 mm
C	17 mm
r min.	1 mm
da min.	37 mm
da max	40 mm
Da max.	60 mm
ra max.	1 mm
Weight	0,225 Kg
Basic dynamic load rating (C)	20,7 kN
Basic static load rating (C0)	11,6 kN
(Grease) Lubrication Speed	10 000 r/min
(Oil) Lubrication Speed	12 000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.221
Product Group	B00308
Enclosure	Open



Wuxi NSB Transmission Technology Co.,...

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	32MM Bore; 65MM Outside Diameter; 17MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Weight / LBS	0.4961
Outer Race Width	0.669 Inch 17 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	2.559 Inch 65 Millimeter
Bore	1.26 Inch 32 Millimeter
SRI	5.21
hidYobi	62/32
LangID	1
D_	65



Wuxi NSB Transmission Technology Co.,...

SREX	0.05
B_	17
da min	37
hidTable	ecat_NSRDGB
Oil rpm	12000
SRE	5.47
mass	0.225
GRS rpm	10000
ra	1
SRIX	0.025
D_a	60
SRIN	0
C0	11.6
fo	13.6
SREN	0
DE_	58.819
Prod_Type3	DGBB_SR_OT
DA_	10.319
bomp	0
Z_	8
yobi	62/32
C_conv	20700
ALPHA_	0
SDM_	48.5
r	1
KBRG	6101
SBRG	2
DI_	38.181